

## Jabil PK 5000 Powder

Version number: 4.0

### SECTION 1: Identification

#### 1.1 Product identifier

**Trade name** Jabil PK 5000 Powder  
**CAS number** not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses** 3D printing

#### 1.3 Details of the supplier of the safety data sheet

Jabil Inc. Telephone: +1 651-202-6058  
 102 N Jonathan Blvd  
 Chaska, Minnesota, MN 55318  
 United States

**e-mail (competent person)** GHS@crc-us.com

#### 1.4 Emergency telephone number

Poison center		
Country	Name	Telephone
-	CHEMTREC (International)	+1 202-483-7616
United States	CHEMTREC USA	(800) 424-9300

As above or next toxicological information centre.

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Classification				
Section	Hazard class	Category	Hazard class and category	Hazard statement
A.6	carcinogenicity	2	Carc. 2	H351
B.cD	combustible dust	Comb. Dust	cD	OSHA003

For full text of abbreviations: see SECTION 16

# Jabil PK 5000 Powder

## 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

**Signal word** warning

**Pictograms**

**GHS08**



**Hazard statements**

**H351** Suspected of causing cancer.

**OSHA003** May form combustible dust concentrations in air.

**Precautionary statements**

**P201** Obtain special instructions before use.

**P202** Do not handle until all safety precautions have been read and understood.

**P280** Wear protective gloves/protective clothing/eye protection/face protection.

**P308+P313** If exposed or concerned: Get medical advice/attention.

**P405** Store locked up.

**P501** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazardous ingredients for labelling** carbon black

## 2.3 Other hazards

Dust explosion hazards.

**Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture).

### 3.2 Mixtures


**Description of the mixture**

◦CARBON MONOXIDE-ETHYLENE-PROPYLENE TERPOLYMER ≥ 99.5 wt%

◦Additives ≤ 0.5 %

.

# Jabil PK 5000 Powder

Hazardous ingredients						
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits
carbon black	CAS No 1333-86-4	≤ 0.5	Carc. 2 / H351 cD / OSHA003		IARC: 2B	-

## Notes

IARC: IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer)  
2B:

The specific exact percentage (concentration) of composition has been withheld as a trade secret.

## SECTION 4: First-aid measures

### 4.1 Description of first-aid measures

#### General notes

Take off immediately all contaminated clothing.  
In all cases of doubt, or when symptoms persist, seek medical advice.  
IF exposed or concerned: Get medical advice/attention.

#### Following inhalation

Provide fresh air.  
If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.  
After inhalation of decomposition products, remove the affected person to a source of fresh air and keep calm.  
Get immediate medical advice/attention.

#### Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.  
Get medical advice/attention.  
Wash contaminated clothing before reuse.

#### Following eye contact

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Remove contact lenses, if present and easy to do. Continue rinsing.

#### Following ingestion

Rinse mouth immediately and drink plenty of water.  
Do NOT induce vomiting.  
Get medical advice/attention.

#### Notes for the doctor

None.

### 4.2 Most important symptoms and effects, both acute and delayed

These information are not available.

# Jabil PK 5000 Powder

## 4.3 Indication of any immediate medical attention and special treatment needed

None.

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

water, foam, alcohol resistant foam, fire extinguishing powder

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products: Section 10.

Danger of dust explosion.

Deposited combustible dust has considerable explosion potential.

#### Hazardous combustion products

carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), pyrolysis products, toxic

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Coordinate firefighting measures to the fire surroundings.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

#### Special protective equipment for firefighters

chemical protection suit, self-contained breathing apparatus (SCBA)

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Remove persons to safety.

Ventilate affected area.

Control of dust.

Eliminate all ignition sources if safe to do so.

Do not breathe dust.

Do not get in eyes, on skin, or on clothing.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

#### For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

Retain contaminated washing water and dispose of it.

# Jabil PK 5000 Powder

---

## 6.3 Methods and material for containment and cleaning up

### Advice on how to contain a spill

Take up mechanically.

### Advice on how to clean up a spill

Take up mechanically.

Collect spillage.

### Other information relating to spills and releases

Place in appropriate containers for disposal.

Ventilate affected area.

## 6.4 Reference to other sections

Hazardous combustion products: see section 5.

Personal protective equipment: see section 8.

Incompatible materials: see section 10.

Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.

Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Only vacuum cleaners containing no ignition sources may be used for combustible dusts.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

#### Specific notes/details

Layers, deposits and heaps of combustible dust must be considered, like any other source which can form a hazardous explosive atmosphere.

Dust deposits may accumulate on all deposition surfaces in a technical room.

Danger of dust explosion.

#### Measures to protect the environment

Avoid release to the environment.

#### Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.

Preventive skin protection (barrier creams/ointments) is recommended.

Remove contaminated clothing and protective equipment before entering eating areas.

Do not breathe dust.

Do not get in eyes, on skin, or on clothing.

Wash thoroughly after handling.

# Jabil PK 5000 Powder

## 7.2 Conditions for safe storage, including any incompatibilities

### Explosive atmospheres

Removal of dust deposits.

Only vacuum cleaners containing no ignition sources may be used for combustible dusts.

### Flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharge.

Ground/bond container and receiving equipment.

### Incompatible substances or mixtures

Incompatible materials: see section 10.

### Protect against external exposure, such as

heat

### Consideration of other advice

Keep away from food, drink and animal feedingstuffs.

Store in a well-ventilated place. Keep container tightly closed.

### Ventilation requirements

Provision of sufficient ventilation.

### Packaging compatibilities

Keep only in original container.

## 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Notation	Source
US	silica, amorphous - precipitated and gel	112926-00-8	PEL	706	-	-	-	partml	29 CFR 1910.1000
US	silica, amorphous - precipitated and gel	112926-00-8	PEL (CA)	-	3	-	-	r	Cal/OSHA PEL
US	Carbon black in presence of polycyclic aromatic hydrocarbons (PAHs)	1333-86-4	REL	-	0.1 (10 h)	-	-	PAHs, appx-A, appx-C	NIOSH REL

# Jabil PK 5000 Powder

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Notation	Source
US	carbon black	1333-86-4	PEL (CA)	-	3.5	-	-	-	Cal/OSHA PEL
US	carbon black	1333-86-4	PEL	-	3.5	-	-	-	29 CFR 1910.1000
US	carbon black	1333-86-4	REL	-	3.5 (10 h)	-	-	appx-A, appx-C	NIOSH REL
US	silica, amorphous	7631-86-9	REL	-	6 (10 h)	-	-	-	NIOSH REL

## Notation

appx-A	NIOSH Potential Occupational Carcinogen (Appendix A)
appx-C	Appendix C - Supplementary Exposure Limits
PAHs	as polycyclic aromatic hydrocarbons (PAHs)
part/ml	particles/ml
r	respirable fraction
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant PNECs of components of the mixture				
Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment
carbon black	1333-86-4	PNEC	50 mg/l	freshwater

## 8.2 Exposure controls

### Appropriate engineering controls

Use local and general ventilation.

### Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection.

#### Hand protection

Protective gloves		
Material	Material thickness	Breakthrough times of the glove material
no information available	no information available	no information available

# Jabil PK 5000 Powder

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Body protection

Protective clothing for use against solid particulates.

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Particle filter device (DIN EN 143).

## Environmental exposure controls

Use appropriate container to avoid environmental contamination.

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

##### Physical state

solid  
(powder)

##### Color

black

##### Odor

characteristic

#### Other safety parameters

##### pH (value)

not applicable

##### Melting point/freezing point

not determined

##### Boiling point or initial boiling point and boiling range

not determined

##### Flash point

not applicable

##### Evaporation rate

not determined

##### Flammability (solid, gas)

this material is combustible, but will not ignite readily

#### Explosive limits

##### Explosion limits of dust clouds

not determined

##### Vapor pressure

not determined

##### Density

not determined

##### Vapor density

>1 (water = 1)



# Jabil PK 5000 Powder

Relative density	information on this property is not available
<b>Solubility(ies)</b>	
Water solubility	not miscible in any proportion
<b>Partition coefficient</b>	
n-octanol/water (log KOW)	not determined
Auto-ignition temperature	not determined
<b>Decomposition temperature</b>	not relevant
<b>Viscosity</b>	not relevant (solid)
<b>Explosive properties</b>	dust explosion hazards
<b>Oxidizing properties</b>	none
<b>Information for relevant hazard classes according to GHS</b>	there is no additional information
<b>9.2 Other information</b>	there is no additional information

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

Danger of dust explosion.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge.

### 10.5 Incompatible materials

oxidizers

### 10.6 Hazardous decomposition products

Pyrolysis products, toxic.

Hazardous combustion products: see section 5.

# Jabil PK 5000 Powder

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Classification procedure

If not otherwise specified the classification is based on:  
Ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

#### Acute toxicity

Test data are not available for the complete mixture.

#### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species	Method
carbon black	1333-86-4	oral	Ld0	>8,000 mg/kg	rat	OECD Guideline 401
carbon black	1333-86-4	dermal	LD50	>3,000 mg/kg	rabbit	-

#### Skin corrosion/irritation

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

#### Serious eye damage/eye irritation

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

#### Respiratory or skin sensitization

##### Skin sensitization

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

##### Respiratory sensitization

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

#### Germ cell mutagenicity

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

#### Carcinogenicity

Suspected of causing cancer.

# Jabil PK 5000 Powder

## IARC Monographs

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans				
Name of substance	Name acc. to inventory	CAS No	Classification	Number
silica, amorphous, crystalline-free	silica, amorphous	7631-86-9	3	-
carbon black	carbon black	1333-86-4	2B	-

### Legend

- 2B Possibly carcinogenic to humans  
3 Not classifiable as to carcinogenicity in humans

## National Toxicology Program (United States)

None of the ingredients are listed.

## OSHA Carcinogens

None of the ingredients are listed.

## Reproductive toxicity

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

## Specific target organ toxicity - single exposure

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

## Specific target organ toxicity - repeated exposure

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

## Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Other information

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity (acute)

Test data are not available for the complete mixture.

# Jabil PK 5000 Powder

## Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Exposure time	Value	Species	Method
carbon black	1333-86-4	ErC50	72 h	>10,000 mg/l	algae (Desmod-esmus sub-spicatus)	OECD Guideline 201
carbon black	1333-86-4	EC50	24 h	>5,600 mg/l	daphnia magna	OECD Guideline 202
carbon black	1333-86-4	LC50	96 h	>1,000 mg/l	orfe (Leuciscus idus)	DIN 38412
carbon black	1333-86-4	EbC50	72 h	>10,000 mg/l	algae (Desmod-esmus sub-spicatus)	OECD Guideline 201

## Aquatic toxicity (chronic)

Test data are not available for the complete mixture.

## Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Exposure time	Value	Species	Method
carbon black	1333-86-4	NOEC	72 h	>10,000 mg/l	algae (Desmod-esmus sub-spicatus)	OECD Guideline 201
carbon black	1333-86-4	growth (EbCx) 10%	72 h	>10,000 mg/l	algae (pseudokirchneri-ella subcapitata)	OECD Guideline 201
carbon black	1333-86-4	growth rate (ErCx) 10%	72 h	>10,000 mg/l	algae (pseudokirchneri-ella subcapitata)	OECD Guideline 201

## 12.2 Persistence and degradability

### Biodegradation

No data available.

### Persistence

No data available.

## 12.3 Bioaccumulative potential

Test data are not available for the complete mixture.

## 12.4 Mobility in soil

No data available.

## 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

# Jabil PK 5000 Powder

## 12.6 Other adverse effects

This information is not available.

### Remarks

Wassergefährdungsklasse, WGK (water hazard class): nwg

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packages

Completely emptied packages can be recycled.  
Handle contaminated packages in the same way as the substance itself.

### Remarks

Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

14.1 UN number not assigned

14.2 UN proper shipping name -

14.3 Transport hazard class(es) -

14.4 Packing group -

14.5 Environmental hazards -

14.6 Special precautions for user -

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code -

### 14.8 Information for each of the UN Model Regulations

#### Transport of dangerous goods by road or rail (49 CFR US DOT) Additional information

Not subject to transport regulations.

# Jabil PK 5000 Powder

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations specific for the product in question

#### National regulations (United States)

**Toxic Substance Control Act (TSCA)** all ingredients are listed or exempt from listing

#### Superfund Amendment and Reauthorization Act (SARA TITLE III )

**The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)**

none of the ingredients are listed

#### Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

#### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

**List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)**

none of the ingredients are listed

#### Clean Air Act

none of the ingredients are listed

#### Right to Know Hazardous Substance List

##### Hazardous Substance List (NJ-RTK)

Name of substance	Name acc. to inventory	CAS No	Remarks	Classifications	Listed in	Substance number	DOT number
carbon black	carbon black	1333-86-4	-	CA.	1 2 3 4 7 17	0342	1361

#### Legend

- 1 Occupational Safety and Health Administration, 29 CFR 1910-Occupational Safety and Health Standards, Subpart Z-Toxic and Hazardous Substances, July 1, 2008.
- 17 "2008 Emergency Response Guidebook," Research and Special Programs Administration, U.S. Department of Transportation, 2008.
- 2 "2009 TLVs® and BEIs®, Threshold Limit Values and Biological Exposure Indices," American Conference of Governmental Industrial Hygienists (ACGIH), 2009.
- 3 Office of Hazardous Materials Safety, Research and Special Programs Administration, U.S. Department of Transportation, 49 CFR 172.101-Hazardous Materials Table, October 1, 2008.
- 4 "NIOSH Pocket Guide to Chemical Hazards," National Institute for Occupational Safety and Health (NIOSH), U.S. Department of Health and Human Services, No. 2005-149, September 2005.

# Jabil PK 5000 Powder

## Legend

- 7 IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, "All Supplements, All Volumes, Groups 1, 2A, 2B, and 3, International Agency for Research on Cancer (IARC), World Health Organization, 2008.
- CA Carcinogenic

## California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals			
Name acc. to inventory	CAS No	Remarks	Type of the toxicity
carbon black	1333-86-4	airborne, unbound particles of respirable size	cancer

## Industry or sector specific available guidance(s)

### NPCA-HMIS® III

Hazardous Materials Identification System.  
American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	0	no significant risk to health
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	-

### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard	-	-

# Jabil PK 5000 Powder

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

### SECTION 16: Other information, including date of preparation or last revision

Date of preparation: 2021-09-13

Date of last revision: 2022-04-05.

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
cD	Combustible dust
DGR	Dangerous Goods Regulations (see IATA/DGR)
EbC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IARC Monographs	IARC Monographs on the Evaluation of Carcinogenic Risks to Humans
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)



# Jabil PK 5000 Powder

Abbr.	Descriptions of used abbreviations
NOEC	No Observed Effect Concentration
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
STEL	Short-term exposure limit
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT).

International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

## Classification procedure

Physical and chemical properties.

Health hazards.

Environmental hazards.

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H351	Suspected of causing cancer.
OSHA003	May form combustible dust concentrations in air.

## Responsible for the safety data sheet

Chemical Regulatory Compliance Company Telephone: +1 (630) 410-1660  
 Chicago, IL e-Mail: GHS@crc-us.com  
 USA Website: www.crc-us.com

# Jabil PK 5000 Powder

---

## Disclaimer

The information in this Safety Data Sheet has been compiled from standard reference materials and/or test data as of the date of its publication and are provided for reference only. The information is offered only as guidance for safe storage, handling, use, and disposal of the product and is not to be considered a warranty or quality specification. The information is specific to the product and may not be valid when used in combination with any other products. The user is responsible for ensuring safe and lawful use of the product and that the product is technically suitable for the intended use.

No express or implied warranties are provided and the implied warranties of merchantability or fitness for a particular purpose are expressly disclaimed. No representations are made, and no liability is assumed arising from or relating to the product.

Copyright/Trademark: © 2019 Jabil Inc. All rights reserved. JABIL® and the JABIL logo are registered trademarks of Jabil Inc.